NSN 3020-01-422-4105

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-01-422-4105

Body Style:
Plain, solid
Attachment Method:
Mounting hole
End Application:
Aircraft, airlifter c-17a
Pitch Diameter:
2.0625 inches
Teeth Quantity:
66
Mounting Hole Thread Series Designator:
Unjc axially through body, first end
Mounting Hole Thread Size:
0.112 inches axially through body, first end
Mounting Hole Type And Quantity:
4 threaded axially through body, first end
Outside Diameter:
2.125 inches
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.473 inches first end
Face Width:
0.230 inches
Hub Style Designator:
Plain second end
Hub Diameter:
0.188 inches both ends
End Length:
0.305 inches first end
End Diameter:
0.188 inches first end
First Step Length:
0.168 inches first end
First Step Diameter:
0.750 inches first end
Bolt Hole Circle Diameter:
1.500 inches axially through body, first end
Material:
Steel comp xm-12
Material Specification:

Ams5659 assn standard single material response

NSN 3020-01-422-4105

Spur Gear - Page 2 of 2

A27300



Surface Treatment:
Passivate
Surface Treatment Specification:
Qq-p-35 federal specification single treatment response
Style Designator:
Protruding hubs
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig: