## NSN 3020-01-425-3640

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-01-425-3640

Body Style:
Plain, solid
End Application:
Weapons system xm56 smoke generator
Pitch Diameter:
0.9583 inches
Teeth Quantity:
23
Bore Style:
Plain both ends
Hardness Rating:
33.0 rockwell c teeth and 43.0 rockwell c teeth
Outside Diameter:
1.038 inches
Pressure Angle:
25.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.715 inches both ends
Face Width:
0.944 inches
Bore Diameter:
0.585 inches both ends
Hub Style Designator:
1 step both ends
End Length:
0.580 inches both ends
Precision Classification:
Quality number 10
End Diameter:
0.787 inches both ends
First Step Length:
0.013 inches both ends
First Step Diameter:
0.940 inches both ends
Special Features:
Bore splined 12 teeth located 0.585 in. From ends, Ig 0.970 in., 30 degrees pa, maj diameter 0.560 in.
Material:
Steel comp e9310
Material Specification:
Ams sae9310 assn standard single material response
Surface Treatment:

Carbon

## NSN 3020-01-425-3640

Spur Gear - Page 2 of 2



•	_		
Style	D)es	sıan	ator:
,		J. 9.	

Protruding hubs

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A27300