

NSN 3020-01-426-4993 Sprocket Wheel - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3020-01-426-4993 **Outside Diameter:** 3.947 inches **Overall Length:** 0.875 inches **Keyway Width:** 0.125 inches **Thread Size:** 1/4-20 **Bore Diameter:** 0.500 inches Bore Length: 0.875 inches **Distance From Center Of Bore To Bottom Of Keyway:** 0.312 inches Pitch Diameter: 3.588 inches **Securing Hole Quantity:** 1 Face Width: 0.168 inches **Design Form:** Plain **Bore Type:** Straight

**Counterbore Feature:** 

**Keying Facility Type:** 

**Protruding Hub Characteristic:** 

Belt/chain/film Size For Which Designed:

Securing Method:
Threaded hole
Lightening Hole:
Not included

**Securing Location:** 

Roller chain

Not included

Hole Location:

Over keyway

Keying Facility:

Included

Keyway

Plain

## **NSN 3020-01-426-4993** Sprocket Wheel - Page 2 of 2



| Roller Chain Pitch Type For Which Designed:               |
|---|
| Single pitch  |
| Teeth Row Quantity:                                       |
| 1   |
| Teeth Quantity Per Row:                                   |
| 30  |
| Asa Standard Chain Number:                                |
| 35  |
| Hardness Rating Test Method:                              |
| Not rated   |
| Bore Bearing:   |
| Not included  |
| Hub External Keyway:                                      |
| Not included  |
| Tooth Pitch:  |
| 0.375 inches  |
| Hub End Outside Diameter And Location:                    |
| 2.000 inches bb end                                       |
| Distance From Outside Flange/rim To Hub End And Location: |
| 0.707 inches front  |
| Material:   |
| Steel   |
| Material:   |
| Steel   |
| Quantity:   |
| 1   |
| Style Designator:   |
| Plain   |
| Shelf Life:   |
| N/a   |
| Unit Of Measure:  |
| <del></del>   |
| Demilitarization:   |
| No  |
| Fiig:   |
| T353-c  |