NSN 3020-01-436-8744

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-01-436-8744 **Body Style:** Plain, solid **Attachment Method:** Mounting hole **End Application:** W/s wasp class lhd Pitch Diameter: 8.0000 inches **Teeth Quantity:** 64 **Bore Style:** 10a w/ keyway both ends **Mounting Hole Thread Series Designator:** Unc axially through hub, second end Mounting Hole Thready Qty Per Inch (tpi): 16 axially through hub, second end **Mounting Hole Thread Size:** 0.375 inches axially through hub, second end **Mounting Hole Type And Quantity:** 2 threaded axially through hub, second end **Outside Diameter:** 8.250 inches **Tooth Form:** Standard **Pressure Angle:** 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 2.250 inches both ends **Face Width:** 1.250 inches **Bore Diameter:** 1.250 inches both ends **Keyway Width:** 0.249 inches both ends **Distance From Bore Center To Keyway Bottom:** 0.752 inches both ends **Hub Style Designator:** Pinned second end **Hub Diameter:** 2.750 inches second end

Material:

Bronze

NSN 3020-01-436-8744

Spur Gear - Page 2 of 2



Material	Specifi	ication:
----------	---------	----------

Astm b584-c86200 assn standard single material response

Style Designator:

Protruding hub

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A27300