NSN 3020-01-446-5174

Groove Pulley - Page 1 of 3



View Online at https://aerobasegroup.com/nsn/3020-01-446-5174 **Counterbore Diameter:** 30.0 millimeters **Counterbore Depth:** 9.6 millimeters **Groove Depth:** 11.0 millimeters **Groove Width:** 9.80 millimeters **Outside Diameter:** 89.3 millimeters **Overall Length:** 33.6 millimeters **Bolt Circle Diameter:** 55.0 millimeters **Keyway Width:** 4.02 millimeters **Bore Length:** 33.6 millimeters **Distance From Center Of Bore To Bottom Of Keyway:** 10.8 millimeters **End Application:** Riverine assault craft (rac) system **Drilled Hole Diameter:** 6.8 millimeters V Groove Angle In Deg: 38.0 Pitch Diameter: 85.0 millimeters **Securing Hole Quantity:** 2 **Taper Bore Major Diameter:** 17.2 millimeters **Taper Bore Minor Diameter:** 15.05 millimeters **Material And Location:** Aluminum alloy **Face Width:** 28.1 millimeters **Design Form:** Plain

Bore Type: Tapered

NSN 3020-01-446-5174

Groove Pulley - Page 2 of 3



Bearings:
Not included
Groove Quantity:
2
Counterbore Feature:
Included
Counterbore Location:
Bb end
Hole Location:
17.5mm center of hole to end on each side
Keying Facility:
Included
Keying Facility Type:
Keyway
Securing Method:
Drilled hole
Split Hub Feature:
Not included
Lightening Hole:
Not included
Integral Cooling Vane:
Not included
Groove Shape:
V
Bore Feature:
Included
Protruding Hub Characteristic:
Plain
Securing Location:
Pulley surface
Hub End Outside Diameter And Location:
45.75 millimeters aa end
Distance From Outside Flange/rim To Hub End And Location:
5.5 millimeters aa end
Criticality Code Justification:
Feat
Special Features:
Weapon system essential
Quantity:
1
Style Designator:
Plain
Shelf Life:
N/a

NSN 3020-01-446-5174

Groove Pulley - Page 3 of 3



	• •						
ın	1+	Of	ΝЛ	ດລ	CI.	ırı	ο.

--

Demilitarization:

No

Fiig:

T353-a