NSN 3020-01-463-5349

Spur Gear Sector - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/3020-01-463-5349

Clamp End Application: Aircraft, (ac-130a, ac-130h, mc-130h, ec-130e, hc-130) Teeth Quantity: 144 Pitch Radius: 1.5000 inches Tooth Form: Standard Pressure Angle: 20.0000 degrees
Aircraft, (ac-130a, ac-130h, mc-130h, ec-130e, hc-130) Teeth Quantity: 144 Pitch Radius: 1.5000 inches Tooth Form: Standard Pressure Angle:
Teeth Quantity: 144 Pitch Radius: 1.5000 inches Tooth Form: Standard Pressure Angle:
Pitch Radius: 1.5000 inches Tooth Form: Standard Pressure Angle:
Pitch Radius: 1.5000 inches Tooth Form: Standard Pressure Angle:
1.5000 inches Tooth Form: Standard Pressure Angle:
Tooth Form: Standard Pressure Angle:
Standard Pressure Angle:
Pressure Angle:
20.0000 degrees
Precision Classification:
Quality number 10
Special Features:
180 deg. Tooth arc
Material:
Steel comp 630
Surface Treatment:
Passivate
Surface Treatment Specification:
Qq-p-35 federal specification 1st treatment response and mil-h-6875, cond h1075 military specification 2nd treatment response
Shelf Life:
N/a
Unit Of Measure:

Demilitarization:
No
Fiig:
A27300
Mil-std (military Standard):
Mil-h-6875 spec.