NSN 3020-01-471-5659

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-01-471-5659

Body Style:
Plain, with lightening holes
End Application:
F15 llaafs
Pitch Diameter:
2.8571 inches
Teeth Quantity:
40
Bore Style:
Plain first end
Outside Diameter:
2.995 inches
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.560 inches first end
Body Recess Depth:
0.140 inches first end
Face Width:
0.340 inches
Bore Diameter:
0.501 inches first end
Hub Style Designator:
Plain first end
Hub Diameter:
0.740 inches first end
Precision Classification:
Quality number 8
Material:
Steel comp 4340
Material Specification:
Astm-a322 assn standard 1st material response or astm-a331, 4340 assn standard 2nd material response
Surface Treatment:
Phosphate
Surface Treatment Specification:
Mil-std-171 military standard single treatment response
Style Designator:
Protruding hub, recessed body
Shelf Life:
N/a
Unit Of Measure:

--

NSN 3020-01-471-5659

Spur Gear - Page 2 of 2



Demilitarization:

No

Fiig:

A27300

Mil-std (military Standard):

Mil-std-171 spec.