NSN 3020-01-471-6426



Spur Gear - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3020-01-471-6426 **Body Style:** Plain, solid **Spline Quantity:** 15 first end **End Application:** F15 llaafs Pitch Diameter: 1.1429 inches **Teeth Quantity:** 16 **Bore Style:** Involute spline first end **Spline Pitch Diameter:** 0.4688 inches first end **Outside Diameter:** 1.297 inches **Pressure Angle:** 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.760 inches first end **Body Recess Depth:** 0.180 inches first end **Face Width:** 0.340 inches **Bore Diameter:** 0.537 inches first end **Hub Style Designator:** Plain first end **Hub Diameter:** 0.670 inches first end **Precision Classification:** Quality number 8 Material:

Steel comp 4340

Material Specification:

Astm-322 assn standard 1st material response or astm-a331, 4340 assn standard 2nd material response

Surface Treatment:

Phosphate

Surface Treatment Specification:

Mil-std-171 military standard single treatment response

Style Designator:

Protruding hub, recessed body

NSN 3020-01-471-6426

Spur Gear - Page 2 of 2



N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A27300

Mil-std (military Standard):

Mil-std-171 spec.