## NSN 3020-01-490-7332

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-01-490-7332

Body Style: Plain, solid End Application: Nimitz class cvn Pitch Diameter: 2.7780 inches Teeth Quantity: 50 Bore Style: 10a w/ keyway both ends Outside Diameter: 2.8845 inches Pressure Angle: 20.0000 degrees Distance Between Body Face And Protruding Hub End: 0.7500 inches first end Body Recess Depth: 0.093 inches second end Face Width: 0.6300 inches Bore Diameter: 0.6878 inches both ends Keyway Width: 0.189 inches both ends Distance From Bore Center To Keyway Bottom: 0.4351 inches both ends Hub Style Designator: Plain first end Hub Diameter: 1.500 inches first end
End Application: Nimitz class cvn Pitch Diameter: 2.7780 inches Teeth Quantity: 50 Bore Style: 10a w/ keyway both ends Outside Diameter: 2.8845 inches Pressure Angle: 20.0000 degrees Distance Between Body Face And Protruding Hub End: 0.7500 inches first end Body Recess Depth: 0.093 inches second end Face Width: 0.6300 inches Bore Diameter: 0.6878 inches both ends Keyway Width: 0.189 inches both ends Distance From Bore Center To Keyway Bottom: 0.4351 inches both ends Hub Style Designator: Plain first end Hub Diameter:
Nimitz class cvn Pitch Diameter: 2.7780 inches Teeth Quantity: 50 Bore Style: 10a w/ keyway both ends Outside Diameter: 2.8845 inches Pressure Angle: 20.0000 degrees Distance Between Body Face And Protruding Hub End: 0.7500 inches first end Body Recess Depth: 0.093 inches second end Face Width: 0.6300 inches Bore Diameter: 0.6878 inches both ends Keyway Width: 0.189 inches both ends Distance From Bore Center To Keyway Bottom: 0.4351 inches both ends Hub Style Designator: Plain first end Hub Diameter:
Pitch Diameter:  2.7780 inches  Teeth Quantity:  50  Bore Style:  10a w/ keyway both ends  Outside Diameter:  2.8845 inches  Pressure Angle:  20.0000 degrees  Distance Between Body Face And Protruding Hub End:  0.7500 inches first end  Body Recess Depth:  0.093 inches second end  Face Width:  0.6300 inches  Bore Diameter:  0.6878 inches both ends  Keyway Width:  0.189 inches both ends  Distance From Bore Center To Keyway Bottom:  0.4351 inches both ends  Hub Style Designator:  Plain first end  Hub Diameter:
2.7780 inches  Teeth Quantity: 50  Bore Style: 10a w/ keyway both ends Outside Diameter: 2.8845 inches  Pressure Angle: 20.0000 degrees Distance Between Body Face And Protruding Hub End: 0.7500 inches first end Body Recess Depth: 0.093 inches second end Face Width: 0.6300 inches Bore Diameter: 0.6878 inches both ends Keyway Width: 0.189 inches both ends Distance From Bore Center To Keyway Bottom: 0.4351 inches both ends Hub Style Designator: Plain first end Hub Diameter:
Teeth Quantity: 50  Bore Style: 10a w/ keyway both ends Outside Diameter: 2.8845 inches Pressure Angle: 20.0000 degrees Distance Between Body Face And Protruding Hub End: 0.7500 inches first end Body Recess Depth: 0.093 inches second end Face Width: 0.6300 inches Bore Diameter: 0.6878 inches both ends Keyway Width: 0.189 inches both ends Distance From Bore Center To Keyway Bottom: 0.4351 inches both ends Hub Style Designator: Plain first end Hub Diameter:
Bore Style:  10a w/ keyway both ends Outside Diameter: 2.8845 inches Pressure Angle: 20.0000 degrees Distance Between Body Face And Protruding Hub End: 0.7500 inches first end Body Recess Depth: 0.093 inches second end Face Width: 0.6300 inches Bore Diameter: 0.6878 inches both ends Keyway Width: 0.189 inches both ends Distance From Bore Center To Keyway Bottom: 0.4351 inches both ends Hub Style Designator: Plain first end Hub Diameter:
Bore Style:  10a w/ keyway both ends  Outside Diameter:  2.8845 inches  Pressure Angle:  20.0000 degrees  Distance Between Body Face And Protruding Hub End:  0.7500 inches first end  Body Recess Depth:  0.093 inches second end  Face Width:  0.6300 inches  Bore Diameter:  0.6878 inches both ends  Keyway Width:  0.189 inches both ends  Distance From Bore Center To Keyway Bottom:  0.4351 inches both ends  Hub Style Designator:  Plain first end  Hub Diameter:
Outside Diameter:  2.8845 inches Pressure Angle:  20.0000 degrees Distance Between Body Face And Protruding Hub End:  0.7500 inches first end Body Recess Depth:  0.093 inches second end Face Width:  0.6300 inches Bore Diameter:  0.6878 inches both ends Keyway Width:  0.189 inches both ends Distance From Bore Center To Keyway Bottom:  0.4351 inches both ends Hub Style Designator: Plain first end Hub Diameter:
Outside Diameter:  2.8845 inches  Pressure Angle:  20.0000 degrees  Distance Between Body Face And Protruding Hub End:  0.7500 inches first end  Body Recess Depth:  0.093 inches second end  Face Width:  0.6300 inches  Bore Diameter:  0.6878 inches both ends  Keyway Width:  0.189 inches both ends  Distance From Bore Center To Keyway Bottom:  0.4351 inches both ends  Hub Style Designator:  Plain first end  Hub Diameter:
2.8845 inches  Pressure Angle: 20.0000 degrees  Distance Between Body Face And Protruding Hub End: 0.7500 inches first end  Body Recess Depth: 0.093 inches second end  Face Width: 0.6300 inches  Bore Diameter: 0.6878 inches both ends  Keyway Width: 0.189 inches both ends  Distance From Bore Center To Keyway Bottom: 0.4351 inches both ends  Hub Style Designator: Plain first end  Hub Diameter:
Pressure Angle: 20.0000 degrees  Distance Between Body Face And Protruding Hub End: 0.7500 inches first end  Body Recess Depth: 0.093 inches second end  Face Width: 0.6300 inches  Bore Diameter: 0.6878 inches both ends  Keyway Width: 0.189 inches both ends  Distance From Bore Center To Keyway Bottom: 0.4351 inches both ends  Hub Style Designator:  Plain first end  Hub Diameter:
Distance Between Body Face And Protruding Hub End: 0.7500 inches first end Body Recess Depth: 0.093 inches second end Face Width: 0.6300 inches Bore Diameter: 0.6878 inches both ends Keyway Width: 0.189 inches both ends Distance From Bore Center To Keyway Bottom: 0.4351 inches both ends Hub Style Designator: Plain first end Hub Diameter:
Distance Between Body Face And Protruding Hub End:  0.7500 inches first end  Body Recess Depth:  0.093 inches second end  Face Width:  0.6300 inches  Bore Diameter:  0.6878 inches both ends  Keyway Width:  0.189 inches both ends  Distance From Bore Center To Keyway Bottom:  0.4351 inches both ends  Hub Style Designator:  Plain first end  Hub Diameter:
0.7500 inches first end  Body Recess Depth: 0.093 inches second end  Face Width: 0.6300 inches  Bore Diameter: 0.6878 inches both ends  Keyway Width: 0.189 inches both ends  Distance From Bore Center To Keyway Bottom: 0.4351 inches both ends  Hub Style Designator:  Plain first end  Hub Diameter:
Body Recess Depth:  0.093 inches second end  Face Width:  0.6300 inches  Bore Diameter:  0.6878 inches both ends  Keyway Width:  0.189 inches both ends  Distance From Bore Center To Keyway Bottom:  0.4351 inches both ends  Hub Style Designator:  Plain first end  Hub Diameter:
0.093 inches second end  Face Width: 0.6300 inches  Bore Diameter: 0.6878 inches both ends  Keyway Width: 0.189 inches both ends  Distance From Bore Center To Keyway Bottom: 0.4351 inches both ends  Hub Style Designator:  Plain first end  Hub Diameter:
Face Width:  0.6300 inches  Bore Diameter:  0.6878 inches both ends  Keyway Width:  0.189 inches both ends  Distance From Bore Center To Keyway Bottom:  0.4351 inches both ends  Hub Style Designator:  Plain first end  Hub Diameter:
0.6300 inches  Bore Diameter: 0.6878 inches both ends  Keyway Width: 0.189 inches both ends  Distance From Bore Center To Keyway Bottom: 0.4351 inches both ends  Hub Style Designator:  Plain first end  Hub Diameter:
Bore Diameter:  0.6878 inches both ends  Keyway Width:  0.189 inches both ends  Distance From Bore Center To Keyway Bottom:  0.4351 inches both ends  Hub Style Designator:  Plain first end  Hub Diameter:
0.6878 inches both ends  Keyway Width: 0.189 inches both ends  Distance From Bore Center To Keyway Bottom: 0.4351 inches both ends  Hub Style Designator:  Plain first end  Hub Diameter:
Keyway Width:  0.189 inches both ends  Distance From Bore Center To Keyway Bottom:  0.4351 inches both ends  Hub Style Designator:  Plain first end  Hub Diameter:
0.189 inches both ends  Distance From Bore Center To Keyway Bottom:  0.4351 inches both ends  Hub Style Designator:  Plain first end  Hub Diameter:
Distance From Bore Center To Keyway Bottom:  0.4351 inches both ends  Hub Style Designator:  Plain first end  Hub Diameter:
0.4351 inches both ends  Hub Style Designator:  Plain first end  Hub Diameter:
Hub Style Designator: Plain first end Hub Diameter:
Plain first end  Hub Diameter:
Hub Diameter:
1.500 inches first end
Precision Classification:
Quality number 8
Product Name:
Gear, spur model 7300 or drive gear
Material:
Steel
Style Designator:
Protruding hub, recessed body
Protruding hub, recessed body  Shelf Life:

--

## NSN 3020-01-490-7332

Spur Gear - Page 2 of 2



Demilitarization:

No

Fiig:

A27300