## NSN 3020-01-494-4274



Helical Gear - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3020-01-494-4274 **Body Style:** Plain, solid **Spline Quantity:** 32 both ends **Attachment Method:** Mounting hole **End Application:** Gearbox, rammer drive Pitch Diameter: Between 6.1900 inches and 6.2100 inches **Teeth Quantity:** 67 **Bore Style:** Involute spline both ends **Spline Pitch Diameter:** 2.0000 inches both ends **Mounting Hole Type And Quantity:** 2 plain axially through flange **Outside Diameter:** 9.0000 inches Teeth Type: Spiral **Tooth Direction:** Right Pressure Angle: 10.0000 degrees and 25.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.458 inches between body and flange Face Width: 1.4000 inches **Bore Diameter:** 2.0500 inches both ends **Hub Style Designator:** Plain both ends **Hub Diameter:** 2.500 inches both ends **Mounting Hole Diameter:** 0.350 inches axially through flange **Bolt Hole Circle Diameter:** 4.500 inches axially through flange

**Product Name:** 

Shaft, drive, rh

## NSN 3020-01-494-4274

Helical Gear - Page 2 of 2



## **Special Features:**

Helicon gear with ratio 33.5: 1; mates with p/n h832-1662-3 (nsn 3040-01-494-3543) and -16 (cage 96169); matched pair h832-1662-3 & 4 nsn 3020-01-494-0562; next higher assembly nsn 3040-01-492-8053; used on nssn class submarine

Material:

Steel comp e9310

**Material Specification:** 

Dod-f-24669/1 gr-9310 military specification single material response

**Style Designator:** 

Protruding hub

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A27300

Mil-std (military Standard):

spec.