

View Online at <https://aerobasegroup.com/nsn/3020-01-553-1576>

Counterbore Diameter:

4.814 inches

Counterbore Depth:

0.250 inches

Groove Depth:

0.780 inches

Groove Width:

0.250 inches

Outside Diameter:

12.063 inches

Bolt Circle Diameter:

4.125 inches

Bore Diameter:

3.500 inches

Bore Length:

2.375 inches

End Application:

LOAD-ER-,SC-OOP3

Drilled Hole Diameter:

0.406 inches

V Groove Angle In Deg:

38.0

Securing Hole Quantity:

8

Material And Location:

Aluminum alloy, mil-a-21180, class 1, grade d

Face Width:

2.375 inches

Design Form:

Webbed

Bore Type:

Straight

Bearings:

Not included

Groove Quantity:

4

Counterbore Feature:

Included

Counterbore Location:

Aa end

Hole Location:

Thru pulley surface

Keying Facility:

Not included

Securing Method:

Drilled hole

Split Hub Feature:

Not included

Web/spoke Relationship To Face Centerline:

Not offset

Lightening Hole:

Not included

Integral Cooling Vane:

Not included

Groove Shape:

V

Bore Feature:

Included

Securing Location:

Pulley surface

Hub End Outside Diameter And Location:

5.000 inches bb end

Distance From Outside Flange/rim To Hub End And Location:

0.750 inches aa end

Style Designator:

Webbed or spoked

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T353-a