

View Online at <https://aerobasegroup.com/nsn/3020-01-619-7024>

Thread Direction:

Right-hand

Pilot Diameter:

3.250 inches

Outside Diameter:

4.006 inches

Bolt Circle Diameter:

2.688 inches

Thread Size:

0.250

Drilled Hole Diameter:

0.3125 inches

Pitch Diameter:

4.010 inches

Securing Hole Quantity:

3

Material And Location:

Iron, cast, qq-i-652, class 30 body or iron, cast, qq-i-652, class 35 body

Face Width:

Between 3.750 inches and 3.780 inches

Design Form:

Spoked

Bore Type:

Tapered

Groove Quantity:

40

Hole Location:

Aa end

Securing Method:

Threaded hole and drilled hole

Web/spoke Relationship To Face Centerline:

Offset

Groove Shape:

U

Securing Location:

Aa end

Thread Size:

0.250 inches

Product Name:

Pulley, straight bores, synchronous teeth and v-belt groove sidewalls 125 micro inch

Special Features:

Max rpm: 6320; has 40 grooves, 8 mm, eq spaced; drilled holes at aa end; 5/16 dia. Thru, 3 holes at 120 degrees on 2.688 dia. Bc; drill no. 7 (.201) dia. Through c-drill 5/16 x .81dp, (from other side) tap 1/4-20 unc-2b through e holes at 120 degrees on 2.688 bhc

Surface Treatment:

Paint

Surface Treatment:

Painted

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

T353-a