NSN 3040-00-143-5345

Shouldered Shaft - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3040-00-143-5345

First End Style:
Flat keyway
End Similarity:
Not identical
Second End Style:
Splined (involute)
Overall Length:
Between 2.183 inches and 2.193 inches
First End Keyway Width:
Between 0.0580 inches and 0.0595 inches
First End External Keyway Length:
0.313 inches
First End Keyway Depth:
0.071 inches
First End Diameter:
Between 0.1610 inches and 0.1690 inches
Second End Diameter:
Between 0.4335 inches and 0.4345 inches
Second End Spline Length:
Between 0.151 inches and 0.161 inches
Second End Spline Minor Diameter:
Between 0.4075 inches and 0.4095 inches
Second End Spline Major Diameter:
Between 0.4335 inches and 0.4345 inches
Second End Pressure Angle:
40.0 degrees
Second End Pitch Diameter:
Between 0.4190 inches and 0.4210 inches
Step Quantity:
4
Second End Spline Quantity:
36
Largest Step Diameter:
Between 0.590 inches and 0.592 inches
Material:
Steel
Material Specification:
Ams6330 assn standard single material response or ams6320 assn standard single material response or ams6322 assn standard single
material response or 9-2901 mfr ref single material response
Chald Life.

Shelf Life:

N/a

Unit Of Measure:

NSN 3040-00-143-5345

Shouldered Shaft - Page 2 of 2

Demilitarization:

No

Fiig:

A23200

