NSN 3040-00-148-0303

Shouldered Shaft - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3040-00-148-0303

First End Style:	
Circular grooved	
First End Groove Width:	
0.0620 inches	
First End Groove Diameter:	
0.9260 inches	
End Similarity:	
Not identical	
Second End Style:	
Woodruff keyway and circular grooved	
Second End Groove Width:	
0.0550 inches	
Second End Groove Diameter:	
0.5880 inches	
Overall Length:	
2.827 inches	
First End Distance From End To Groove:	
0.090 inches	
First End Diameter:	
Between 0.9839 inches and 0.9842 inches	
Second End Distance From End To Groove:	
0.097 inches	
Second End Keyway Width:	
Between 0.1553 inches and 0.1568 inches	
Second End External Keyway Length:	
0.625 inches	
Second End Distance From Keyway Center To End:	
0.589 inches	
Second End Diameter:	
0.6250 inches	
Step Quantity:	
3	
Largest Step Diameter:	
1.139 inches	
Surface Finish:	
32.0 microinches	
Special Features:	
Bfirst end s.A.E. 1948 standard involute spline 24/48 diametral pitch, flat root 30 degrees pressure angle1309 cir pitch .064 (+.00000015)	
cir tooth thk 14 teeth-cl a tooth side fit. Bore .5437 in. Dia.	
Material:	
Steel comp 303	
Material Specification:	

NSN 3040-00-148-0303

Shouldered Shaft - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A23200

