# NSN 3040-00-157-3650

Shouldered Shaft - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/3040-00-157-3650



## First End Style:

Circular grooved

First End Groove Width:

0.1870 inches

#### First End Groove Diameter:

Between 2.5530 inches and 2.5630 inches

#### End Similarity:

Not identical

#### Second End Style:

Unthreaded cross drilled

#### **Overall Length:**

Between 7.440 inches and 7.480 inches

#### First End Distance From End To Groove:

0.493 inches

#### First End Diameter:

Between 2.7732 inches and 2.7738 inches

#### Second End Diameter:

Between 1.9362 inches and 1.9368 inches

#### Second End Hole Diameter:

0.1250 inches

### Second End Distance From Hole Center To End:

2.038 inches

#### Second End Hole Depth:

0.968 inches

#### Step Quantity:

5

#### Largest Step Diameter:

Between 2.770 inches and 2.774 inches

#### Surface Finish:

50.0 microinches

#### **Special Features:**

First end longitudinal drill hole: 0.500in. Diameter 1.827 in. Maximum depth threaded 1.477 in. Min thd depth 0.500-20unf-2b; second end longitudinal drill hole 0.3025 in. Min 0.3225 in. Maximum dia. 2.200 in. Min 2.250 in. Maximum depth

#### Material:

Steel comp 8625

#### **Material Specification:**

Qq-s-624 federal specification all material responses

#### Shelf Life:

N/a

#### Unit Of Measure:

---

#### Demilitarization:

No

# **NSN 3040-00-157-3650** Shouldered Shaft - Page 2 of 2

Fiig: A23200

