NSN 3040-00-167-2711

Shouldered Shaft - Page 1 of 2



View Online at https://aerobasegroup.com/nen/3040-00-167-2711

View	Online at https://aerobasegroup.com/nsn/3040-00-167-2711
First	End Style:
Circu	ar grooved
First	End Groove Width:
0.089	0 inches
First	End Groove Diameter:
Betwe	een 0.9150 inches and 0.9210 inches
End S	Similarity:
Not ic	lentical
Seco	nd End Style:
Circu	ar grooved flat keyway and externally threaded
Seco	nd End Groove Width:
Betwe	een 0.0550 inches and 0.0680 inches
Seco	nd End Groove Diameter:
Betwe	een 0.9460 inches and 0.9480 inches
Over	all Length:
Betwe	een 5.610 inches and 5.670 inches
First	End Distance From End To Groove:
0.075	inches
First	End Diameter:
Betwe	een 0.9842 inches and 0.9846 inches
Seco	nd End Distance From End To Groove:
0.418	inches
Seco	nd End Keyway Width:
0.180	0 inches
Seco	nd End External Keyway Length:
0.605	inches
Seco	nd End Keyway Depth:
0.089	inches
Seco	nd End Diameter:
0.969	0 inches
Seco	nd End External Thread Length:
0.418	inches
Step	Quantity:
6	
Large	est Step Diameter:
Betwe	een 1.4995 inches and 1.4997 inches
Surfa	ce Finish:
32.0 ו	microinches
Mate	rial:
Stain	ess steel
Mate	rial Specification:

Aisi 416 assn standard single material response or qq-s-764, type 416, cond a federal specification single material response

NSN 3040-00-167-2711

Shouldered Shaft - Page 2 of 2



_					
c	hο	JIF.		.ife:	
J			_	.II C.	

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A23200