

View Online at <https://aerobasegroup.com/nsn/3040-00-193-8972>

Thread Class:

2a both ends

Thread Direction:

Right-hand both ends

Thread Length:

0.375 inches both ends

Overall Length:

53.312 inches

Wrenching Facility Outside Diameter:

0.750 inches both ends

Tip Length:

0.687 inches both ends

Shank Outside Diameter:

0.500 inches both ends

Shoulder Outside Diameter:

0.625 inches both ends

Groove Radius:

0.031 inches both ends

Core Material:

Steel

Screw Thread Series Designator:

Unc both ends

Core Diameter:

0.150 inches

Distance From End To Groove Center:

0.875 inches both ends

Thread Location:

External both ends

End Type:

Hexagon male both ends

End Connection Type:

Threaded external both ends

Groove Quantity:

1 both ends

Setscrew:

Not included both ends

Casing Material:

Steel

Wrenching Facility Type:

Knurled surface both ends

Cross Section Size And Location:

0.187 inches diameter both ends

Casing Length Between Ferrules:

52.000 inches

Casing Outside Diameter:

0.406 inches

Casing Protective Device Type:

Rubber cover

Swivel End:

Provided both ends

Enddiameter:

2.031 inches both ends

Lubrication Fitting:

Not provided both ends

Corelength:

53.312 inches

Core Rotation Direction:

Clockwise

Core Removability:

Nonremovable

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T246-e