

View Online at <https://aerobasegroup.com/nsn/3040-00-215-1344>

Body Material:

Aluminum alloy

Second End Outside Diameter:

1.000 inches all working ends

Inside Diameter:

0.250 inches all ports

Mounting Provision:

Unthreaded mounting holes

Overall Height:

7.000 inches

Overall Width:

10.000 inches

Bore Diameter:

0.625 inches

Body Outside Diameter:

1.750 inches

Longest Horizontal Distance Between Mounting Centers:

1.875 inches

Longest Vertical Distance Between Mounting Centers:

1.000 inches

End Application:

Truck, fire fighting, type 0-11a

First End Hole Diameter:

0.312 inches all working ends

Second End Hole Diameter:

0.312 inches all working ends

First End Thickness At Mounting Holes:

0.312 inches all working ends

Second End Thickness At Mounting Holes:

0.437 inches all working ends

Compressed Length:

13.000 inches

Extended Length:

15.000 inches

Mounting Provision Arrangement Style:

Four hole rectangular

First End Tongue Length:

1.125 inches all working ends

Integral Valve Operation Method:

Hydraulic

Design Characteristics:

Double acting tandem cylinder

First Piston Rod End Style:

Tongue type all working ends

Piston Rod End Similarity:

Not identical

Second Piston Rod End Style:

Bearing type

First End Fork Width:

0.562 inches all working ends

Mounting Type And Location:

Flange piston rod end

Mounting Facility Diameter:

0.250 inches

Port Location And Quantity:

4 center section and 2 cylinder head end and 2 piston rod end

Port Style:

Plain all ports

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A34200