

NSN 3040-00-216-6518 Flexible Shaft Assembly - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3040-00-216-6518 **Thread Class:** 2b both ends **Thread Direction:** Right-hand both ends **Overall Length:** 10.625 inches **Wrenching Facility Outside Diameter:** 1.000 inches both ends **Thread Depth:** 0.375 inches both ends Tip Length: 1.875 inches both ends **Core Material:** Steel **Screw Thread Series Designator:** Uns both ends **Core Surface Treatment:** Copper plated **Core Diameter:** 0.188 inches **Thread Location:** Internal both ends **End Type:** Round keyed both ends **End Connection Type:** Union ferrule both ends **Casing Material:**

Steel

Wrenching Facility Type:

Serrated surface both ends

Cross Section Size And Location:

0.188 inches diameter both ends

Machined Feature Size:

0.060 in.W x 0.281 in.Long x 0.037 in.H

Casing Surface Treatment:

Cadmium

Casing Length Between Ferrules:

5.812 inches

Casing Outside Diameter:

0.375 inches

Swivel End:

Not provided both ends

NSN 3040-00-216-6518

Flexible Shaft Assembly - Page 2 of 2



Overall End Size:
Both ends: 0.812 in. Diameter x 1.438 in. Lg
Lubrication Fitting:
Not provided both ends
Corelength:
8.250 inches
Core Rotation Direction:
Clockwise
Core Removability:
Removable
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: T246-e