

View Online at <https://aerobasegroup.com/nsn/3040-00-382-1984>

**Thread Class:**

3a both ends

**Thread Direction:**

Right-hand both ends

**Overall Length:**

Between 21.095 inches and 21.135 inches

**Wrenching Facility Outside Diameter:**

1.310 inches both ends

**Thread Depth:**

0.590 inches both ends

**Tip Length:**

0.840 inches and 0.860 inches both ends

**Core Material:**

Steel

**Screw Thread Series Designator:**

Uns both ends

**Core Diameter:**

0.250 inches

**Thread Location:**

Internal both ends

**End Type:**

Square male both ends

**End Connection Type:**

Threaded internal both ends

**Setscrew:**

Not included both ends

**Casing Material:**

Steel

**Wrenching Facility Type:**

Knurled surface both ends

**Bearing Type:**

Sleeve both ends

**Cross Section Size And Location:**

0.310 inches across flats both ends

**Torsional Deflection Rating:**

11 degrees ft-lb in.

**Casing Surface Treatment:**

Zinc coated or cadmium

**Casing Length Between Ferrules:**

19.215 inches

**Casing Outside Diameter:**

0.560 inches

**Swivel End:**

Not provided both ends

**Enddiameter:**

1.300 inches and 1.310 inches both ends

**Lubrication Fitting:**

Not provided both ends

**Corelength:**

Between 21.095 inches and 21.135 inches

**Core Rotation Direction:**

Clockwise or counterclockwise

**Core Removability:**

Removable

**Minimum Operating Radius:**

4.250 inches

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

T246-e