NSN 3040-00-432-4876

Body Material:

First End Outside Diameter: 0.750 inches all working ends

Steel

Linear Actuating Cylinder Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3040-00-432-4876

9
Mounting Provision:
Unthreaded mounting holes
Tempurature Rating:
Not rated
Bore Diameter:
2.500 inches
Body Outside Diameter:
2.880 inches
Overall Diameter:
3.630 inches
Seat Angle In Deg:
45.0 all ports
First End External Thread Length:
2.380 inches all working ends
Compressed Length:
35.750 inches
Extended Length:
62.870 inches
Pressure Rating:
3000.0 pounds per square inch
Design Characteristics:
Double acting single cylinder
First Piston Rod End Style:
External threaded all working ends
First Piston Rod End Thread Series Designator:
Unf all working ends
First Piston Rod End Thread Diameter:
0.750 inches all working ends
First Piston Rod End Thready Qty Per Inch (tpi):
16 all working ends
First Piston Rod End Thread Class:
2a all working ends
First Piston Rod End Thread Direction:
Right-hand all working ends
Mounting Type And Location:
Tongue cylinder head end
Mounting Facility Diameter:

0.810 inches

NSN 3040-00-432-4876

Linear Actuating Cylinder Assembly - Page 2 of 2



Port Location And Quantity: 1 cylinder head end and 1 piston rod end Port Style: Gasket seal all ports **Port Thread Series Designator:** Unf all ports **Port Thread Diameter:** 0.562 inches all ports Port Thready Qty Per Inch (tpi): 18 all ports **Port Thread Class:** 2b all ports Shelf Life: N/a **Unit Of Measure:** Demilitarization:

No Fiig: A34200