NSN 3040-00-463-0908

Shouldered Shaft - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3040-00-463-0908 First End Style: Splined (straight) **End Similarity:** Not identical Second End Style: External threaded **Overall Length:** 4.000 inches **End Application:** Aircraft, galaxy c-5 First End Diameter: Between 0.3408 inches and 0.3438 inches First End Spline Length: 0.4400 inches First End Spline Minor Diameter: Between 0.2420 inches and 0.2500 inches First End Spline Major Diameter: Between 0.3408 inches and 0.3438 inches First End Pressure Angle: 30.0 degrees First End Pitch Diameter: 0.3125 inches **Second End Diameter:** 0.3125 inches **Second End External Thread Length:** 0.6200 inches Step Quantity: First End Spline Quantity: 10 **Largest Step Diameter:** 0.436 inches **Surface Finish:** 63.0 microinches **Product Name:** Shaft, drive **Special Features:**

Second end threaded 5/16-24unf-2a with .06w x .09d in. Slot

Material:

Stainless steel

Material Specification:

Ams5643, 17-4ph assn standard single material response

NSN 3040-00-463-0908

Shouldered Shaft - Page 2 of 2



C	ha	Ιf	1	ife	
•	ııe		_	.II C	

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A23200