NSN 3040-00-505-7465

Shouldered Shaft - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3040-00-505-7465 First End Style: Unthreaded cross drilled **End Similarity:** Not identical Second End Style: Indented flat keyway and cross drilled hole **Overall Length:** 10.370 inches First End Diameter: Between 0.9850 inches and 0.9900 inches First End Hole Diameter: 0.3750 inches First End Distance From Hole Center To End: 4.688 inches **Second End Keyway Width:** Between 0.1350 inches and 0.1500 inches Second End External Keyway Length: Between 2.125 inches and 2.156 inches Second End Keyway Depth: Between 0.100 inches and 0.120 inches **Second End Distance From Keyway Center To End:** 3.500 inches **Second End Diameter:** Between 0.7400 inches and 0.7500 inches **Second End Hole Diameter:** 0.3750 inches Step Quantity: **Largest Step Diameter:** Between 0.985 inches and 0.990 inches **Special Features:** Two additional cross drilled through holes on second end, 0.125/0.129 in. Diameter of one hole, 0.370/0.375 in. Diameter of other hole, 0.370 in. Distance from both hole centers to end, 90 degrees angle btwn holes Material: Steel comp 302 **Material Specification:** Qq-s-763, cond a federal specification single material response Shelf Life:

Demilitarization: No

Unit Of Measure:

N/a

NSN 3040-00-505-7465 Shouldered Shaft - Page 2 of 2



Fiig:

A23200