

View Online at <https://aerobasegroup.com/nsn/3040-00-517-5174>

**Thread Class:**

2a or 2 second end

**Thread Direction:**

Right-hand both ends

**Thread Length:**

0.250 inches both ends

**Overall Length:**

42.031 inches

**Wrenching Facility Outside Diameter:**

0.750 inches second end

**Tip Length:**

0.875 inches first end

**Shank Outside Diameter:**

0.500 inches both ends

**Core Material:**

Steel

**Screw Thread Series Designator:**

Uns first end

**Core Diameter:**

0.150 inches

**Thread Location:**

Internal first end

**End Type:**

Square male second end

**End Connection Type:**

Threaded internal first end

**Setscrew:**

Not included both ends

**Casing Material:**

Steel

**Wrenching Facility Type:**

Knurled surface both ends

**Cross Section Size And Location:**

0.187 inches diameter first end

**Casing Surface Treatment:**

Zinc coated

**Casing Length Between Ferrules:**

42.000 inches

**Casing Outside Diameter:**

0.445 inches

**Swivel End:**

Not provided both ends

**Enddiameter:**

0.875 inches second end

**Lubrication Fitting:**

Not provided both ends

**Corelength:**

43.031 inches

**Core Rotation Direction:**

Clockwise

**Core Removability:**

Removable

**Minimum Operating Radius:**

6.000 inches

**Special Features:**

Rd permanent keyed drive end

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

T246-e