

NSN 3040-00-517-5207 Flexible Shaft Assembly - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3040-00-517-5207 **Thread Class:** 2a both ends **Thread Direction:** Right-hand both ends Thread Length: 0.500 inches both ends **Overall Length:** 55.625 inches **Wrenching Facility Outside Diameter:** 0.938 inches both ends Tip Length:

0.500 inches and 1.125 inches both ends

Shank Outside Diameter:

0.594 inches both ends

Core Material:

Steel

Screw Thread Series Designator:

Uns both ends

Core Diameter:

0.186 inches

Thread Location:

Internal both ends

End Type:

Round keyed both ends

End Connection Type:

Union ferrule both ends

Setscrew:

Not included both ends

Casing Material:

Steel

Wrenching Facility Type:

Hexagon both ends

Cross Section Size And Location:

0.188 inches diameter second end

Casing Surface Treatment:

Galvanized

Casing Length Between Ferrules:

54.000 inches

Casing Outside Diameter:

0.438 inches

Enddiameter:

1.094 inches both ends

NSN 3040-00-517-5207

Flexible Shaft Assembly - Page 2 of 2



Lubrication Fitting:
Not provided both ends
Corelength:
55.625 inches
Core Rotation Direction:
Clockwise
Core Removability:
Removable
Minimum Operating Radius:
6.000 inches
Special Features:
Rd permanent keyed drive end
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
T246-e