NSN 3040-00-517-5212

Flexible Shaft Assembly - Page 1 of 2



	rella
View Online at https://aerobasegroup.com/nsn/3040-00-517-5212	
Thread Direction:	
Right-hand both ends	
Overall Length:	
109.625 inches	
Thread Depth:	
0.500 inches both ends	
Tip Length:	
1.125 inches first end	
Shank Outside Diameter:	
0.594 inches both ends	
Core Material:	
Steel	
Screw Thread Series Designator:	
Uns both ends	
Core Diameter:	
0.185 inches	
Thread Location:	
Internal both ends	
End Type:	
Square female second end	
Width Across Flats:	
0.938 inches both ends	
End Connection Type:	
Union ferrule both ends	
Setscrew:	
Not included both ends	
Casing Material:	
Steel	
Wrenching Facility Type:	
Hexagon both ends	
Cross Section Size And Location:	
0.188 inches across flats second end	
Casing Surface Treatment:	
Zinc coated	
Casing Length Between Ferrules:	
108.000 inches	

Casing Outside Diameter:

0.438 inches

Swivel End:

Not provided both ends

Enddiameter:

1.094 inches both ends

NSN 3040-00-517-5212

Flexible Shaft Assembly - Page 2 of 2



Lubrication Fitting:
Not provided both ends
Corelength:
109.625 inches
Core Rotation Direction:
Clockwise
Core Removability:
Removable
Minimum Operating Radius:
6.000 inches
Special Features:
Rd permanent keyed end
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

T246-e