Flexible Shaft Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3040-00-517-5213

Thread Class:
2a both ends
Thread Direction:
Right-hand both ends
Overall Length:
145.625 inches
Thread Depth:
0.500 inches both ends
Tip Length:
1.125 inches first end
Shank Outside Diameter:
0.594 inches both ends
Core Material:
Steel
Screw Thread Series Designator:
Uns both ends
Core Diameter:
0.185 inches
Thread Location:
Internal both ends
End Type:
Square female second end
Width Across Flats:
0.938 inches both ends
End Connection Type:
Threaded internal both ends
Setscrew:
Not included both ends
Casing Material:
Steel
Wrenching Facility Type:
Hexagon both ends
Cross Section Size And Location:
0.187 inches diameter first end
Casing Surface Treatment:
Zinc coated
Casing Length Between Ferrules:
144.000 inches
Casing Outside Diameter:
0.438 inches
Swivel End:
Not provided both ends

NSN 3040-00-517-5213

Flexible Shaft Assembly - Page 2 of 2



Enddiameter:

1.094 inches both ends

Lubrication Fitting:

Not provided both ends

Corelength:

145.625 inches

Core Rotation Direction:

Clockwise

Core Removability:

Removable

Minimum Operating Radius:

6.000 inches

Special Features:

Rd permanent keyed end

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

Т246-е