## NSN 3040-00-517-5221

Flexible Shaft Assembly - Page 1 of 2



, ,
View Online at https://aerobasegroup.com/nsn/3040-00-517-5221
Thread Class:
2a both ends
Thread Direction:
Right-hand both ends
Thread Length:
0.438 inches both ends
Overall Length:
146.063 inches
Wrenching Facility Outside Diameter:
1.000 inches both ends
Tip Length:
0.438 inches and 2.063 inches both ends
Shank Outside Diameter:
0.563 inches both ends
Core Material:
Steel
Screw Thread Series Designator:
Uns both ends
Core Diameter:
0.156 inches
Thread Location:
Internal both ends
End Type:
Square female both ends
End Connection Type:
Threaded internal both ends
Setscrew:
Not included both ends
Casing Material:
Steel
Wrenching Facility Type:
Knurled surface both ends

**Cross Section Size And Location:** 

0.188 inches across flats second end

**Casing Surface Treatment:** 

Galvanized

**Casing Length Between Ferrules:** 

144.000 inches

**Casing Outside Diameter:** 

0.438 inches

Swivel End:

Not provided both ends

## **NSN 3040-00-517-5221**Flexible Shaft Assembly - Page 2 of 2



Enddiameter:
1.000 inches both ends
Lubrication Fitting:
Not provided both ends
Corelength:
146.063 inches
Core Rotation Direction:
Clockwise or counterclockwise
Core Removability:
Removable
Minimum Operating Radius:
6.000 inches
Special Features:
Rd permanently keyed drive end
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
T246-e