## NSN 3040-00-517-5236

Flexible Shaft Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3040-00-517-5236
Thread Class:
2b both ends
Thread Direction:
Right-hand both ends
Overall Length:
181.625 inches
Thread Depth:
0.500 inches both ends
Tip Length:
1.125 inches first end
Shank Outside Diameter:
0.594 inches both ends
Core Material:
Steel
Screw Thread Series Designator:
Uns both ends
Core Diameter:
0.185 inches
Thread Location:
Internal both ends
End Type:
Square female second end
Width Across Flats:
0.938 inches both ends
End Connection Type:
Threaded internal both ends
Setscrew:
Not included both ends
Casing Material:
Steel
Wrenching Facility Type:
Hexagon both ends
Cross Section Size And Location:
0.188 inches across flats second end
Casing Surface Treatment:
Zinc coated
Casing Length Between Ferrules:

180.000 inches

**Casing Outside Diameter:** 

0.438 inches

Swivel End:

Not provided both ends

## NSN 3040-00-517-5236

Flexible Shaft Assembly - Page 2 of 2



Enddiameter:
1.094 inches both ends
Lubrication Fitting:
Not provided both ends
Corelength:
181.625 inches
Core Rotation Direction:
Clockwise
Core Removability:
Removable
Minimum Operating Radius:
6.000 inches
Special Features:
Rd permanent keyed end
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

T246-e