

View Online at <https://aerobasegroup.com/nsn/3040-00-518-0890>

End Similarity:

Not identical

Thread Length:

0.219 inches second end, fifth portion

Overall Length:

5.313 inches

Keyway Width:

0.093 inches second end, fifth portion

Keyway Depth:

0.067 inches second end, fifth portion

Screw Thread Series Designator:

Unf second end, fifth portion

Shaft Thread Direction:

Right-hand second end, fifth portion

Teeth Hardness Rating:

Between 26.0 rockwell c and 31.0 rockwell c

Worm Thread Quantity:

1

Worm Thread Lead:

0.1666 inches

Worm Thread Direction:

Right-hand

Worm Pressure Angle In Deg:

29.000

Worm Helix Angle:

5 degrees 52 min

Worm Outside Diameter:

0.625 inches

Worm Pitch Diameter:

0.519 inches

Shaft Hardness Rating:

Between 26.0 rockwell c and 31.0 rockwell c

Worm Thread Section Length:

0.810 inches

Worm Body Length:

0.810 inches

Worm Body Tapered Bearing Surface End:

Not provided

Shaft Location:

Both ends of worm

Straight Unthreaded Length:

1.234 inches second end, second portion

Straight Unthreaded Section Diameter:

0.625 inches first end, third portion

Material:

Steel

Material:

Steel

Surface Treatment:

Passivate

Surface Treatment:

Passivated

Fsc Application Data:

Mount, telescope, integrated with fire control equipment

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T246-c