

View Online at <https://aerobasegroup.com/nsn/3040-00-529-1718>

Thread Class:

3b first end

Thread Direction:

Right-hand both ends

Thread Length:

0.500 inches both ends

Overall Length:

29.188 inches

Wrenching Facility Outside Diameter:

1.188 inches both ends

Tip Length:

2.219 inches second end

Shank Outside Diameter:

0.813 inches both ends

Core Material:

Nickel copper alloy

Screw Thread Series Designator:

Unef both ends

Core Diameter:

0.313 inches

Thread Location:

Internal both ends

End Type:

Round, slotted external first end

End Connection Type:

Threaded internal both ends

Setscrew:

Not included both ends

Casing Material:

Nickel copper alloy

Wrenching Facility Type:

Knurled surface both ends

Cross Section Size And Location:

0.375 inches diameter first end

Machined Feature Size:

0.156 to 0.158 in. W by 0.372 to 0.375 in. Lg slot

Casing Length Between Ferrules:

24.000 inches

Casing Outside Diameter:

0.750 inches

Casing Protective Device Type:

Rubber cover

Swivel End:

Provided both ends

Enddiameter:

1.188 inches both ends

Lubrication Fitting:

Not provided both ends

Corelength:

29.188 inches

Core Rotation Direction:

Clockwise

Core Removability:

Removable

Special Features:

Counterclockwise

Fsc Application Data:

Radio set, radio navigational equipment, except airborne

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T246-e