## NSN 3040-00-560-8412

First End Style: Splined (straight) **End Similarity:** 



Shouldered Shaft - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3040-00-560-8412

Not identical			
Second End Style:			
Circular grooved, splined (straight) and externally threaded			
Second End Groove Width:			
0.1090 inches			
Second End Groove Diameter:			
2.2180 inches			
Overall Length:			
15.09375 inches			
First End Diameter:			
Between 2.3420 inches and 2.3470 inches			
First End Spline Length:			
3.250 inches			
First End Spline Minor Diameter:			
2.0220 inches			
First End Spline Major Diameter:			
2.3470 inches			
Second End Distance From End To Groove:			
3.589 inches			
Second End Diameter:			
Between 2.3420 inches and 2.3470 inches			
Second End Spline Length:			
3.7500 inches			
Second End Spline Minor Diameter:			
2.0220 inches			
Second End Spline Major Diameter:			
2.3470 inches			
Second End Internal Thread Length:			
0.875 inches			
Step Quantity:			
3			
First End Spline Quantity:			
10			
Second End Spline Quantity:			
10			
Largest Step Diameter:			
2.625 inches			

Surface Finish: 125.0 microinches

## NSN 3040-00-560-8412

Shouldered Shaft - Page 2 of 2



NA-	**^	ria	
Ma	ııc	ııa	и.

Steel comp 8642 or steel comp 8645 or steel comp 4150

**Material Specification:** 

Aisi assn standard all material responses

**Fsc Application Data:** 

Differntial drive, tank full tracked

Shelf Life:

N/a

**Unit Of Measure:** 

Demilitarization:

No

Fiig:

A23200