NSN 3040-00-588-2870

Shouldered Shaft - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3040-00-588-2870 First End Style: Plain **End Similarity:** Not identical Second End Style: Splined (involute) **Overall Length:** 3.000 inches First End Diameter: Between 0.4905 inches and 0.4990 inches **Second End Diameter:** Between 0.4658 inches and 0.4688 inches Second End Spline Length: 0.875 inches **Second End Spline Minor Diameter:** Between 0.3669 inches and 0.3750 inches Second End Spline Major Diameter: Between 0.4658 inches and 0.4688 inches **Second End Pressure Angle:** 30.0000 degrees **Second End Pitch Diameter:** 0.4375 inches Step Quantity: First End Spline Quantity: 14 **Second End Spline Quantity: Largest Step Diameter:** Between 0.498 inches and 0.499 inches Material: Steel **Material Specification:** Mil-s-8690 military specification single material response **Fsc Application Data:** Drive and sump assembly, transmission, helicopter Shelf Life: N/a **Unit Of Measure:**

Demilitarization: Yes - demil/mli

NSN 3040-00-588-2870

Shouldered Shaft - Page 2 of 2



Fiig:

A23200

Mil-std (military Standard):

Mil-s-8690 spec.