NSN 3040-00-608-8792

Shouldered Shaft - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3040-00-608-8792 First End Style: Splined (straight) **End Similarity:** Not identical Second End Style: Circular grooved and externally threaded **Second End Groove Width:** Between 0.1200 inches and 0.1400 inches **Second End Groove Diameter:** Between 0.3520 inches and 0.3620 inches **Overall Length:** 11.570 inches First End Diameter: Between 0.3730 inches and 0.3740 inches First End Spline Length: Between 0.7400 inches and 0.7600 inches First End Spline Minor Diameter: Between 0.3400 inches and 0.3500 inches First End Spline Major Diameter: Between 0.3730 inches and 0.3740 inches **Second End Distance From End To Groove:** 0.9800 inches **Second End Diameter:** 0.4375 inches **Second End External Thread Length:** 0.7000 inches Step Quantity: First End Spline Quantity: 36 **Largest Step Diameter:** Between 0.898 inches and 0.900 inches Material: Steel **Material Specification:** Ams 6260 assn standard single material response Shelf Life: N/a **Unit Of Measure:**

Demilitarization: No

NSN 3040-00-608-8792 Shouldered Shaft - Page 2 of 2



Fiig:

A23200