NSN 3040-00-621-3672

Thread Class: 2b both ends

Thread Direction:
Right-hand both ends
Overall Length:

Flexible Shaft Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3040-00-621-3672

62.000 inches
Flange Thickness:
0.547 inches first end
Wrenching Facility Outside Diameter:
0.750 inches second end
Thread Depth:
0.375 inches both ends
Tip Length:
0.500 inches both ends
Shoulder Outside Diameter:
0.672 inches first end
Core Material:
Steel
Screw Thread Series Designator:
Unf second end
Core Surface Treatment:
Anodized
Core Diameter:
0.125 inches
Thread Location:
Internal both ends
End Type:
Square male both ends
End Connection Type:
Threaded internal both ends
Casing Material:
Steel
Wrenching Facility Type:
Knurled surface both ends
Cross Section Size And Location:
0.188 inches across flats both ends
Casing Length Between Ferrules:
58.250 inches
Casing Outside Diameter:
0.328 inches
Casing Protective Device Type:
Rubber cover

NSN 3040-00-621-3672

Flexible Shaft Assembly - Page 2 of 2



Swivel End:
Provided both ends
Enddiameter:
1.000 inches first end
Lubrication Fitting:
Not provided both ends
Corelength:
62.000 inches
Core Rotation Direction:
Clockwise
Core Removability:
Removable
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: T246-e