## NSN 3040-00-627-1254

Shouldered Shaft - Page 1 of 2



0-627-1254

View Online at https://aerobasegroup.com/nsn/3040-0
First End Style:
Woodruff keyway and circular grooved
First End Groove Width:
Between 0.2500 inches and 0.2505 inches
First End Groove Diameter:
Between 0.3020 inches and 0.3120 inches
End Similarity:
Not identical
Second End Style:
Circular grooved and internally threaded
Second End Groove Width:
0.0625 inches
Second End Groove Diameter:
Between 0.6600 inches and 0.6700 inches
Overall Length:
7.031 inches
End Application:
129007665876
First End Distance From End To Groove:
Between 0.247 inches and 0.262 inches
First End Keyway Width:
Between 0.1240 inches and 0.1255 inches
First End Diameter:
Between 0.5570 inches and 0.5620 inches
Second End Distance From End To Groove:
0.750 inches
Second End Internal Thread Length:
0.250 inches
Step Quantity:
2
Largest Step Diameter:
0.250 inches
Material:
Steel
Material Specification:
Astm a108-73 assn standard single material response
Shelf Life:
N/a
Unit Of Measure:

No

Demilitarization:

## **NSN 3040-00-627-1254** Shouldered Shaft - Page 2 of 2



Fiig:

A23200