## NSN 3040-00-628-6904

Shouldered Shaft - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3040-00-628-6904 First End Style: Cross drilled and externally threaded **End Similarity:** Not identical **Second End Style:** Two circular grooves **Second End Groove Width:** 0.0600 inches **Second End Groove Diameter:** 0.3400 inches **Overall Length:** 1.685 inches First End Diameter: Between 0.3760 inches and 0.3765 inches First End Hole Diameter: 0.0780 inches First End Distance From Hole Center To End: 0.230 inches First End External Thread Length: 0.321 inches First End Hole Depth: 0.376 inches **Second End Distance From End To Groove:** 0.180 inches **Second End Diameter:** Between 0.3760 inches and 0.3765 inches **Second End Distance Between First And Second Groove Centers:** 0.170 inches Step Quantity: **Largest Step Diameter:** 0.560 inches Material: Steel **Material Specification:** Mil-s-6040 per ams 6322 military specification all material responses Shelf Life: N/a **Unit Of Measure:** 

Demilitarization:

No

## NSN 3040-00-628-6904

Shouldered Shaft - Page 2 of 2



Fiig:

A23200

Mil-std (military Standard):

Mil-s-6040 spec.