## NSN 3040-00-629-4436

Shouldered Shaft - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3040-00-629-4436 First End Style: Plain **End Similarity:** Not identical Second End Style: Woodruff keyway and circular grooved **Second End Groove Width:** 0.0440 inches **Second End Groove Diameter:** Between 0.7395 inches and 0.7400 inches **Overall Length:** 6.030 inches First End Diameter: Between 0.7395 inches and 0.7400 inches **Second End Distance From End To Groove:** Between 0.044 inches and 0.046 inches **Second End Keyway Width:** Between 0.1230 inches and 0.1250 inches Second End External Keyway Length: Between 0.690 inches and 0.710 inches Second End Distance From Keyway Center To End: 0.435 inches **Second End Diameter:** 0.8800 inches Step Quantity: 3 **Largest Step Diameter:** 0.880 inches Surface Finish: 125.0 microinches Material: Steel comp 1040 or steel comp 1045 **Material Specification:** Spec qq-s-634 military specification single material response Shelf Life: N/a **Unit Of Measure: Demilitarization:** 

Yes - demil/mli Fiig:

A23200

## NSN 3040-00-629-4436

Shouldered Shaft - Page 2 of 2



Mil-std (military Standard):

spec.