## NSN 3040-00-678-7076

Linear Actuating Cylinder Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3040-00-678-7076

**Body Material:** 

Steel

First End Outside Diameter:

Between 3.440 inches and 3.560 inches

**Mounting Provision:** 

Link

**Tempurature Rating:** 

125.0 degrees fahrenheit

**Bore Diameter:** 

Between 5.990 inches and 6.010 inches

**Body Outside Diameter:** 

Between 6.970 inches and 7.030 inches

**Overall Diameter:** 

Between 8.220 inches and 8.280 inches

First End Hole Diameter:

Between 1.7515 inches and 1.7530 inches

First End Thickness At Mounting Holes:

Between 2.240 inches and 2.260 inches

**Compressed Length:** 

Between 42.790 inches and 42.970 inches

**Extended Length:** 

Between 66.670 inches and 67.090 inches

**Pressure Rating:** 

2200.0 pounds per square inch

**Design Characteristics:** 

Double acting single cylinder

First Piston Rod End Style:

Bearing type

**Piston Rod End Similarity:** 

Identical

**Mounting Type And Location:** 

Bearing both ends

**Port Location And Quantity:** 

4 center section

Port Style:

Gasket seal

Port Thread Series Designator:

Npt

Port Thready Qty Per Inch (tpi):

14

Port Pipe Thread Size:

0.500 inches

## NSN 3040-00-678-7076

Linear Actuating Cylinder Assembly - Page 2 of 2



Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

Yes - demil/mli

Fiig:

A34200