

View Online at <https://aerobasegroup.com/nsn/3040-00-759-1797>

Thread Class:

2b first end

Thread Direction:

Right-hand both ends

Thread Length:

0.375 inches both ends

Overall Length:

18.750 inches

Wrenching Facility Outside Diameter:

1.000 inches both ends

Thread Depth:

0.250 inches both ends

Tip Length:

1.000 inches second end

Shank Outside Diameter:

0.531 inches both ends

Shoulder Outside Diameter:

1.000 inches both ends

Core Material:

Steel

Screw Thread Series Designator:

Unf both ends

Core Surface Treatment:

Cadmium plated

Core Diameter:

0.188 inches

Thread Location:

Internal first end

End Type:

Round keyed first end

End Connection Type:

Threaded internal first end

Setscrew:

Not included both ends

Casing Material:

Steel

Wrenching Facility Type:

Knurled surface both ends

Cross Section Size And Location:

0.406 inches diameter second end

Machined Feature Size:

0.047 in.W x 0.500 in.Lg key; 0.047 in.W x 0.938 in.Lg x 0.125 in.Dp slot

Casing Surface Treatment:

Cadmium plated

Casing Length Between Ferrules:

13.750 inches

Casing Outside Diameter:

0.445 inches

Casing Protective Device Type:

Flexible steel hose protector

Swivel End:

Not provided both ends

Enddiameter:

0.875 inches second end

Lubrication Fitting:

Not provided both ends

Corelength:

18.750 inches

Core Rotation Direction:

Clockwise

Core Removability:

Removable

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

T246-e