## NSN 3040-00-777-6757

Shouldered Shaft - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3040-00-777-6757 First End Style: Plain **End Similarity:** Not identical Second End Style: Splined (involute) **Overall Length:** 13.450 inches First End Diameter: Between 0.7641 inches and 0.7651 inches **Second End Diameter:** Between 0.9990 inches and 1.0000 inches Second End Spline Length: 2.700 inches **Second End Spline Minor Diameter:** Between 0.8760 inches and 0.8860 inches Second End Spline Major Diameter: Between 0.9990 inches and 1.0000 inches **Second End Pressure Angle:** 30.0 degrees **Second End Pitch Diameter:** 0.9500 inches Step Quantity: **Second End Spline Quantity:** 19 **Largest Step Diameter:** Between 1.685 inches and 1.686 inches **Surface Finish:** 16.0 microinches **Special Features:** Second end int thd, 0.940 in. Lg Material: Steel comp 8622h or steel comp 8720h **Material Specification:** Astm a304 assn standard all material responses or astm a331 assn standard all material responses or mil-s-46172 military specification all material responses Shelf Life: N/a **Unit Of Measure:** 

No

Demilitarization:

## NSN 3040-00-777-6757

Shouldered Shaft - Page 2 of 2



Fiig:

A23200

Mil-std (military Standard):

Mil-s-46172 spec.