

View Online at <https://aerobasegroup.com/nsn/3040-00-818-6067>

End Similarity:

Not identical

Overall Length:

2.0025 inches

Teeth Hardness Rating:

Between 48.0 rockwell c and 55.0 rockwell c

Worm Thread Quantity:

2

Worm Thread Lead:

0.2667 inches

Worm Thread Direction:

Left-hand

Worm Pressure Angle In Deg:

20.000

Worm Helix Angle:

10 degrees 57 min

Worm Outside Diameter:

0.5190 inches

Worm Pitch Diameter:

0.4387 inches

Shaft Hardness Rating:

Between 28.0 rockwell c and 34.0 rockwell c

Worm Thread Section Length:

0.6200 inches

Worm Body Length:

1.2175 inches

Worm Body Tapered Bearing Surface End:

Not provided

Shaft Location:

Both ends of worm

Straight Unthreaded Length:

0.2000 inches second end, first portion

Straight Unthreaded Section Diameter:

0.2496 inches second end, first portion

Involute Spline Quantity:

12 either end

Involute Spline Pressure Angle In Deg:

14.5 either end

Involute Spline Pitch Diameter:

0.2500 inches first end, first portion

Involute Spline Length:

0.2600 inches first end, first portion

Material:

Steel, mil-s-6758, cond d4

Material:

Steel, mil-s-6758, cond d4

Fsc Application Data:

Actuator, electro-mechanical, linear

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T246-c