NSN 3040-00-844-7772



Shouldered Shaft - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3040-00-844-7772 First End Style: Splined (involute) **End Similarity:** Not identical Second End Style: Splined (involute) **Overall Length:** 1.606 inches First End Diameter: 0.4650 inches First End Spline Length: 0.270 inches First End Spline Minor Diameter: Between 0.1855 inches and 0.1895 inches First End Spline Major Diameter: Between 0.2225 inches and 0.2240 inches First End Pressure Angle: 30.0000 degrees First End Pitch Diameter: 0.2083 inches **Second End Diameter:** 0.4650 inches **Second End Spline Length:** 0.320 inches **Second End Spline Minor Diameter:** Between 0.1855 inches and 0.1895 inches **Second End Spline Major Diameter:** Between 0.2225 inches and 0.2240 inches **Second End Pressure Angle:** 30.0000 degrees **Second End Pitch Diameter:** 0.2083 inches **Step Quantity:**

First End Spline Quantity: **Second End Spline Quantity:** 10 **Largest Step Diameter:** 0.465 inches **Surface Finish:** 125.0 microinches

NSN 3040-00-844-7772

Shouldered Shaft - Page 2 of 2



Material:	
Steel comp 4620	
Material Specification:	
Mil-s-7493, comp 4620 military specification single material response	
Shelf Life:	
N/a	
Unit Of Measure:	
Demilitarization:	
No	
Fiig:	
A23200	

Mil-s-7493 spec.

Mil-std (military Standard):