## NSN 3040-00-909-2436

Shouldered Shaft - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3040-00-909-2436

First End Style:
Unthreaded cross drilled
End Similarity:
Not identical
Second End Style:
Externally threaded and flat keyway
Overall Length:
5.620 inches
End Application:
M110 howitzer family
First End Keyway Depth:
0.078 inches
First End Diameter:
1.6200 inches
First End Hole Diameter:
0.2180 inches
First End Distance From Hole Center To End:
0.584 inches
First End Hole Depth:
0.310 inches
Second End Keyway Width:
0.1863 inches
Second End External Keyway Length:
0.671 inches
Second End Keyway Depth:
0.078 inches
Second End Diameter:
0.8110 inches
Second End External Thread Length:
0.671 inches
Step Quantity:
5
Largest Step Diameter:
1.620 inches
Surface Finish:
63.0 microinches
Special Features:
First end counterbored 0.626 deepx 1.125 diameter w/2 internal keyways 180 degrees apart 0.1885 w x 0.1108 deep
Material:
Steel comp 4130 or steel comp 8630
Material Specification:

Qq-s-624 federal specification all material responses

## NSN 3040-00-909-2436

Shouldered Shaft - Page 2 of 2



_					
c	hο	JIF.		.ife:	
J			_	.II C.	

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A23200