NSN 3040-00-909-2455

Shouldered Shaft - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3040-00-909-2455

First End Style:

First End Style: Unthreaded cross drilled **End Similarity:** Not identical Second End Style: Two flat keyways **Overall Length:** 3.180 inches **End Application:** M110 howitzer family First End Diameter: 1.5000 inches First End Hole Diameter: 0.3750 inches First End Distance From Hole Center To End: 0.250 inches **Second End Keyway Width:** 0.6030 inches Second End External Keyway Length: 0.186 inches **Second End Keyway Depth:** 0.093 inches **Second End Diameter:** 1.1230 inches Second End Angle Between Keyways: 180.0 degrees Step Quantity: **Largest Step Diameter:** 1.625 inches **Surface Finish:** 63.0 microinches **Special Features:** Nickel-coated; hole 0.375 lg x 0.250 w on 1st, 2nd, and 3rd steps; 1st end boed 1.000 diameter x 2.280 deep Material: Steel comp 4140 or steel comp 8740 **Material Specification:** Qq-s-624 federal specification all material responses **Fsc Application Data:** Mount, gun, 175 mm

Shelf Life:

N/a

NSN 3040-00-909-2455

Shouldered Shaft - Page 2 of 2



Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A23200