

View Online at <https://aerobasegroup.com/nsn/3040-00-982-1637>

**Chamfer Angle In Deg:**

45.0

**Outside Diameter:**

0.688 inches

**Thickness:**

0.312 inches

**Bore Diameter:**

Between 0.4375 inches and 0.4385 inches

**Largest Diameter Length:**

0.281 inches

**Securing Hole Quantity:**

4

**Angle Between Centerlines Of Securing Holes In Deg:**

90.0

**Screw Thread Series Designator And Location:**

Single hole unc

**Securing Hole Type And Location:**

Threaded single hole

**Thread Size And Location:**

0.138 inches single hole

**Special Features:**

One 0.0250 in. Min, 0.0257 in. Maximum diameter through hole radially located 45.0 degrees from any thd securing hole

**Material:**

Steel, qq-s-764, type 416, cond a-canceled

**Material:**

Steel comp 416

**Material Specification:**

Qq-s-764, type 416, cond a-canceled federal specification single material response

**Surface Treatment:**

Passivate

**Style Designator:**

Round w/double chamfer

**Surface Treatment:**

Passivated, od8664, naval ordnance systems command

**Furnished Items And Quantity:**

1 headless straight pin and 4 socket head cap screw

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A231a0