NSN 3040-01-010-5091

Linear Actuating Cylinder Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3040-01-010-5091 **Body Material:** Steel First End Outside Diameter: 2.000 inches **Tempurature Rating:** Not rated **Overall Height:** 6.750 inches **Bore Diameter:** 5.000 inches **Body Outside Diameter:** 6.000 inches **Overall Diameter:** 6.000 inches First End External Thread Length: 1.500 inches **Compressed Length:** 62.500 inches **Extended Length:** 109.000 inches **Pressure Rating:** 2500.0 pounds per square inch **Features Provided:** Clevis pin and piston lock **Integral Valve Operation Method:** Hydraulic **Design Characteristics:** Double acting single cylinder First Piston Rod End Style: External threaded First Piston Rod End Thread Series Designator: First Piston Rod End Thread Diameter: Between 1.488 inches and 1.500 inches First Piston Rod End Thready Qty Per Inch (tpi): 12 First Piston Rod End Thread Class: За First Piston Rod End Thread Direction: Right-hand

Right-hand

Mounting Type And Location:

Fork cylinder head end

NSN 3040-01-010-5091

Linear Actuating Cylinder Assembly - Page 2 of 2



Port Location And Quantity:
2 center section
Port Style:
Gasket seal
Port Thread Series Designator:
Npt
Port Pipe Thread Size:
0.750 inches
Special Features:
National fine (nf) thread on rod end
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli
Fiig:
A34200