## NSN 3040-01-017-2754

Linear Actuating Cylinder Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3040-01-017-2754 **Body Material:** Iron First End Outside Diameter: 0.438 inches **Mounting Provision:** Unthreaded mounting holes **Tempurature Rating:** Not rated **Overall Width:** 2.875 inches **Bore Diameter:** 1.250 inches First End External Thread Length: 1.087 inches **Compressed Length:** 6.500 inches **Extended Length:** 9.500 inches **Mounting Provision Arrangement Style:** Two hole **Pressure Rating:** Not rated **Integral Valve Operation Method:** Hydraulic **Design Characteristics:** Single acting single cylinder First Piston Rod End Style: First Piston Rod End Thread Series Designator: First Piston Rod End Thready Qty Per Inch (tpi):

External threaded Unf First Piston Rod End Thread Diameter: 0.438 inches 20 **First Piston Rod End Thread Class:** За **First Piston Rod End Thread Direction:** Right-hand **Mounting Type And Location:** Flange cylinder head end **Mounting Facility Diameter:** 0.400 inches

## NSN 3040-01-017-2754

Linear Actuating Cylinder Assembly - Page 2 of 2



Center To Center Distance Between Mounting Provisions:
1.988 inches
Port Location And Quantity:
1 cylinder head end
Port Style:
Gasket seal
Port Thread Series Designator:
Unf
Port Thread Diameter:
0.500 inches
Port Thready Qty Per Inch (tpi):
20
Port Thread Class:
3b
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A34200