

View Online at https://aerobasegroup.com/nsn/3040-01-023-5666

Body	Material:

Steel

First End Outside Diameter:

0.625 inches

Mounting Provision:

Threaded mounting holes

Tempurature Rating:

Not rated

Overall Height:

2.500 inches

Overall Width:

2.500 inches

Bore Diameter:

Any acceptable

Body Outside Diameter:

2.250 inches

Overall Diameter:

2.500 inches

Longest Horizontal Distance Between Mounting Centers:

5.125 inches

Longest Vertical Distance Between Mounting Centers:

0.875 inches

Mounting Facility Thread Class:

2b

Mounting Facility Thread Direction:

Right-hand

First End External Thread Length:

1.531 inches

Compressed Length:

10.625 inches

Extended Length:

11.438 inches

Mounting Provision Arrangement Style:

Four hole rectangular

Mounting Facility Thread Series Designator:

Unc

Mounting Facility Thread Diameter:

0.312 inches

Mounting Facility Thready Qty Per Inch (tpi):

18

Design Characteristics:

Double acting twin cylinder

NSN 3040-01-023-5666

Linear Actuating Cylinder Assembly - Page 2 of 2



First Piston Rod End Style:
External threaded
First Piston Rod End Thread Series Designator:
Unf
First Piston Rod End Thread Diameter:
0.375 inches
First Piston Rod End Thready Qty Per Inch (tpi):
24
First Piston Rod End Thread Class:
2a
First Piston Rod End Thread Direction:
Right-hand
Piston Rod End Similarity:
Identical
Mounting Type And Location:
Flange both ends
Mounting Facility Thread Length:
0.625 inches
Port Location And Quantity:
2 center section
Port Style:
Gasket seal
Port Thread Series Designator:
Npt
Port Pipe Thread Size:
0.250 inches
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A34200