NSN 3040-01-054-0685

Shouldered Shaft - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3040-01-054-0685

First End Style:
External threaded
End Similarity:
Not identical
Second End Style:
Splined (involute)
Overall Length:
6.875 inches
End Application:
Raw water rotary pump; 4320-01-055-8102; for detroit diesel 6v-53 main propulsion engines onboard 44 ft mlb coast guard vessels
First End Diameter:
0.6250 inches
First End Spline Length:
2.250 inches
First End Spline Minor Diameter:
0.8750 inches
First End Spline Major Diameter:
0.9780 inches
First End Pitch Diameter:
0.9260 inches
First End External Thread Length:
0.500 inches
Second End Diameter:
0.9830 inches
Second End Spline Length:
2.250 inches
Second End Spline Minor Diameter:
0.8750 inches
Second End Spline Major Diameter:
0.9780 inches
Second End Pressure Angle:
30.0000 degrees
Second End Pitch Diameter:
0.9260 inches
Second End External Thread Length:
0.500 inches
Step Quantity:
6
First End Spline Quantity:
13
Second End Spline Quantity:

13

NSN 3040-01-054-0685

Shouldered Shaft - Page 2 of 2



Largest Step Diameter	٠:
-----------------------	----

1.363 inches

Material:

Stainless steel

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A23200